

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3180	709/206.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:54
L2	289	709/251.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:54
L3	448	L1 and @pd>"20050601"	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:55
L4	39	L3 and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:56
L5	2687	709/220-221.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:55
L6	308	L5 and @pd>"20050601"	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:56
L7	33	L6 and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:58
L8	2	L2 and @pd>"20050601" and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:59
L9	285	"serial storage architecture"	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:59
L10	1	L9 and @pd>"20050601" and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2006/01/04 17:00
L11	7133	(storage near network)	US-PGPUB; USPAT	OR	OFF	2006/01/04 16:59
L12	34	L11 and @pd>"20050601" and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2006/01/04 17:00
S1	420	709/248.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/29 13:59
S2	243	709/251.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/29 13:59
S3	7	709/248.ccls. and 709/251.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/29 14:04
S4	1700	709/220-221.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/29 14:04
S5	12	709/220-221.ccls. and 709/251. ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/29 14:31
S6	639	370/254,258.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/29 14:31
S7	59	709/220-221.ccls. and 370/254, 258.ccls.	US-PGPUB; USPAT	OR	OFF	2003/12/29 14:42
S8	190	"serial storage architecture"	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:12

S9	203	"serial storage architecture"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 15:00
S10	9	"serial storage architecture" and "X3T10.1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 17:05
S11	2	("serial storage architecture" or SSA) and "bucket brigade"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 15:00
S12	1	(duplex or "bi-directional") same network same configur\$3 same initiator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 15:04
S13	164	network same configur\$5 same initiator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 15:05
S14	2	(network same configur\$5 same initiator) and (PIM or "port information map")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 15:08
S15	27	(network same configur\$5 same initiator) same port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 15:08
S16	10	((network same configur\$5 same initiator) same port\$1) and @ad<"20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 15:08
S17	1	adaptec.as. and wilson.in.	US-PGPUB; USPAT	OR	OFF	2003/12/29 16:28
S18	1	(reconfigur\$3 or chang\$3) near3 port same (RAID or SSA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 17:10

S19	114	(reconfigur\$3 or chang\$3) near3 port and (RAID or SSA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 17:10
S20	25	(reconfigur\$3 or chang\$3) near3 port same state and (RAID or SSA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 17:11
S21	14	((reconfigur\$3 or chang\$3) near3 port same state and (RAID or SSA)) and @ad<"20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 17:11
S22	0	"serial storage architecture" and @ad<"2000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 17:15
S23	132	"serial storage architecture" and @ad<"20000717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 17:27
S24	84	"serial storage architecture" and @ad<"20000717" and itself	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 17:28
S25	14	"serial storage architecture" and @ad<"20000717" and (itself same port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 18:44
S26	5	709/221.ccls. and 709/252-253.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 18:45
S27	235	(inhibbit\$3 or stop\$4 or halt\$3) near2 initiator	US-PGPUB; USPAT	OR	OFF	2004/01/14 14:51
S28	4	(inhibbit\$3 or stop\$4 or halt\$3) near2 initiator and (SSA or "serial storage architecture")	US-PGPUB; USPAT	OR	OFF	2004/01/14 14:54
S29	44	(inhibbit\$3 or stop\$4 or halt\$3) near2 initiator and network	US-PGPUB; USPAT	OR	OFF	2004/01/14 14:53
S30	102	(inhibit\$3 or stop\$4 or halt\$3) near2 initiator and network	US-PGPUB; USPAT	OR	OFF	2004/01/14 14:53

S31	4	(inhibit\$3 or stop\$4 or halt\$3) near2 initiator and (SSA or "serial storage architecture")	US-PGPUB; USPAT	OR	OFF	2004/01/14 14:54
S32	59	((inhibit\$3 or stop\$4 or halt\$3) near2 initiator and network) and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2004/01/14 15:01
S33	1	709/208,211.ccls. and (SSA or "serial storage architecture")	US-PGPUB; USPAT	OR	OFF	2004/01/14 15:01
S34	21	709/208,211.ccls. and 709/251, 252,253.ccls.	US-PGPUB; USPAT	OR	OFF	2004/01/14 15:01
S35	17	(709/208,211.ccls. and 709/251, 252,253.ccls.) and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2004/01/14 15:01
S36	31	"serial storage architecture" and @pd>"20031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 15:00
S37	6	blair.xa. and douglas.xa.	US-PGPUB; USPAT	OR	OFF	2004/07/15 10:51
S38	0	"6766367"	US-PGPUB; USPAT	OR	OFF	2004/07/15 10:52
S39	0	"6766367".pn.	US-PGPUB; USPAT	OR	OFF	2004/07/15 10:52
S40	83305	initiator	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:11
S41	217	"serial storage architecture" and SSA	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:28
S42	445	S40 near (inhibit\$4 or stop\$4 or ceas\$3 or suspend\$3 or halt\$3)	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:13
S43	0	S41 and S42	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:13
S44	1430	S40 near3 (inhibit\$4 or stop\$4 or ceas\$3 or suspend\$3 or halt\$3)	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:16
S45	2	S41 and S44	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:16
S46	2251	S40 near5 (inhibit\$4 or stop\$4 or ceas\$3 or suspend\$3 or halt\$3)	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:16
S47	2	S41 and S46	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:17
S48	1	S46 and "bucket brigade"	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:21
S49	585	709/251-253.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:21
S50	28	S49 and S40	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:22

S51	1	S50 and S41	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:23
S52	0	S46 and S49	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:23
S53	2631	709/220-222.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:24
S54	0	S53 and S46	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:24
S55	33	S53 and S49	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:24
S56	1	S55 and (S40 S41)	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:28
S57	2363	"serial storage architecture" or SSA	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:28
S58	0	S57 same S46	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:28
S59	6	S57 and S46	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:29
S60	192	S57 and S40	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:30
S61	31	S57 same S40	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:30
S62	23	S61 and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:30
S63	1	"5901280".pn.	US-PGPUB; USPAT	OR	OFF	2005/03/16 19:57
S64	9	blair.xa. and douglas.xa.	US-PGPUB; USPAT	OR	OFF	2005/03/17 12:14
S65	1202	714/4.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/17 12:14
S66	17	S65 and 709/251-253.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/17 12:14
S67	11	S65 and (SSA or "serial storage architecture")	US-PGPUB; USPAT	OR	OFF	2005/03/17 12:15
S68	28	S66 S67	US-PGPUB; USPAT	OR	OFF	2005/03/17 12:15
S69	22	S68 and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:42
S70	1319	714/4.ccls.	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:42
S71	19	S70 and 709/251-253.ccls.	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:42
S72	11	S70 and (SSA or "serial storage architecture")	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:50
S73	30	S71 S72	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:42

S74	23	S73 and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:51
S75	1	S74 and @pd>"20050301"	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:42
S76	15	709/220-221.ccls. and 709/251. ccls.	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:43
S77	87	709/220-221.ccls. and 370/254, 258.ccls.	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:43
S78	2	(S76 S77) and @pd>"20050301" and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:48
S79	4	("6816945" "6421767" "6301639" "5550998").pn.	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:49
S80	82	(initiator same (configur\$3 or map\$4 or inhibit\$3 or stop\$4)) and (SSA or "serial storage architecture")	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:51
S81	38	S80 and @ad<"20000717"	US-PGPUB; USPAT	OR	OFF	2005/08/25 12:06
S82	87853	initiator	US-PGPUB; USPAT	OR	OFF	2005/08/25 12:06
S83	236	"serial storage architecture" and SSA	US-PGPUB; USPAT	OR	OFF	2005/08/25 12:06
S84	476	S82 near (inhibit\$4 or stop\$4 or ceas\$3 or suspend\$3 or halt\$3)	US-PGPUB; USPAT	OR	OFF	2005/08/25 12:06
S85	0	S83 and S84	US-PGPUB; USPAT	OR	OFF	2005/08/25 12:06
S86	0	S85 and @pd>"20050301"	US-PGPUB; USPAT	OR	OFF	2005/08/25 12:07
S87	4	(inhibit\$3 or stop\$4 or halt\$3) near2 initiator and (SSA or "serial storage architecture")	US-PGPUB; USPAT	OR	OFF	2005/08/25 12:07
S88	0	S87 and @pd>"20050301"	US-PGPUB; USPAT	OR	OFF	2005/08/25 12:07
S89	1	"serial storage architecture"	IBM_TDB	OR	OFF	2005/08/25 13:58